

FLASH

1,135



Authorised client weight
75 kg



MEYRA[®]



Anatomic back shell, removable



Cool design



Ideally adjustable lower leg length



Super flexible: a seat, that grows with you

The rolling lightning

COST EFFECTIVENESS

- "Grow with you" wheelchair design reduces care costs
- Great versatility when it comes to adjusting the sitting position and the handling characteristics
- Rapid, long-term supply of spare parts thanks to extensive network of specialist retailers
- Excellent possibilities for reuse

THERAPEUTIC BENEFITS

- Flexible seat unit for perfect adjustment to the individual measurements of the child
- Adapter allows adjustment of seat depth to the front
- Telescopic back unit for adjustment of 45 mm to the back; ideal for seat shell care
- Lightweight, anatomic seat unit and maximum variability for ideal handling
- Enormous amount of leg room at the front due to standard abduction frame
- Very easy to adjust to any necessary changes resulting from growth or a change in functions
- Length for calf progressively adjustable up to 200 mm

APPLICATIONS

- For active children and young people
- For domestic use and leisure activities
- For children of kindergarten, pre-school and school age

ORDER

QUOTATION

CUSTOM-MADE VERSION

Please fax your completed order form to: +49 (0) 5733 922 9311 Customer service: +49 (0) 5733 922 311

Invoice address / customer no.:

Delivery address:

Consignment / remarks:

MEYRA®



 **Authorised client weight**
75 kg

FLASH 1.135

All prices exclude VAT at the statutory rate. Valid from 01.01.2019 to 31.12.2019.
Our general terms and conditions apply, which can be found on www.meyra.de/en/gtc.

Technical data

	MIDI	MAXI		
Seat width	240 - 300	240 - 400	User weight	75
Total width with 0, 3, 6°	SW + 180 (0°) / SW + 220 (3°) / SW + 260 (6°)		Empty weight	10
Seat depth	240 - 300	320 - 400	Permitted overall weight	85
Seat height front/rear	390 - 470 / 360 - 440	390 - 480 / 390 - 470	Transport weight	8
Overall height	HSH+RH+40	HSH+RH+40	Rear wheel	550 (22")
Back height	250 - 400	250 - 400	Rear wheel	600 (24")
Backrest angle adjustment	75° - 105°	75° - 105°		
Lower leg length	200 - 290*	250 - 320/330 - 440*		
Length with footrests	670 - 745	855 - 930		

Dimensions in mm (1 inch = 25.4 mm), weights in kg (1 pd = 0.45 kg), speed in km/h (1 mph = 1.61 km/h), tolerance ± 10 mm / 0.39 inch
The specifications are subject to constructional changes.

Caution!
Please note when using public transport (e.g. trains): the dimensions of the wheelchair may exceed the transport company guidelines.
Please enquire beforehand.

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

00 Frame design (frame length)

	CODE	DESCRIPTION	LENGTH	SEAT DEPTH	SEAT WIDTH	REAR WHEEL	
<input type="checkbox"/>	351	Frame length Midi	472 mm	240 - 300 mm	240 - 300 mm	22"	-
<input type="checkbox"/>	352	Frame length Maxi	562 mm	320 - 400 mm	240 - 400 mm	-	24"

* Please take note of and compare your data in categories 03 and 05 (FSH and RSH).

01 Seat width (SW)

	CODE	DESCRIPTION
<input type="checkbox"/>	124	SW 240 mm
<input type="checkbox"/>	126	SW 260 mm
<input type="checkbox"/>	28	SW 280 mm
<input type="checkbox"/>	30	SW 300 mm
<input type="checkbox"/>	32	SW 320 mm
<input type="checkbox"/>	34	SW 340 mm
<input type="checkbox"/>	36	SW 360 mm
<input type="checkbox"/>	38	SW 380 mm
<input type="checkbox"/>	40	SW 400 mm

02 Seat depth (SD)

	CODE	DESCRIPTION	FRAME CODE
<input type="checkbox"/>	524	SD 240 mm	351
<input type="checkbox"/>	526	SD 260 mm	351
<input type="checkbox"/>	528	SD 280 mm	351
<input type="checkbox"/>	390	SD 300 mm	351
<input type="checkbox"/>	392	SD 320 mm	352
<input type="checkbox"/>	394	SD 340 mm	352
<input type="checkbox"/>	366	SD 360 mm	352
<input type="checkbox"/>	368	SD 380 mm	352
<input type="checkbox"/>	615	SD 400 mm	352

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

03 Seat height front (FSH) combined with castor (without seat cushion)

Please select your desired seat height by choosing a possible combination of seat height and wheel size.

Horizontal columns = seat heights in mm vertical lines = Ø castor sizes in mm

Seat height at the front combined with the Midi frame length CODE 351

FSH	FRAME	390	400	410	420	430	440	450	460	470	480
Ø 100 solid rubber	351	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	-	-
Ø 125 solid rubber	351	-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	-

Front seat height combined with frame length Maxi CODE 352

Ø 100 solid rubber	352	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	-	-
Ø 125 solid rubber	352	-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	-
Ø 142 soft- solid rubber	352	-	-	-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

When FSH is selected then a standard castor is automatically configured. You also have the option of selecting castor wheels from the following table. Please take note of the selection in category 05 seat height.

Xtrends castor wheels

	CODE	ARTICLE	DESCRIPTION	RIMS	TYRES	Ø X W
<input type="checkbox"/>	689	1068963	Lightwheel (pair)	plastic	Solid rubber transparent, coloured	100 x 23 mm
<input type="checkbox"/>	689	1072385	Castor (pair)	aluminium silver	solid rubber	100 x 32 mm
<input type="checkbox"/>	689	1072386	Castor (pair)	aluminium silver	solid rubber	125 x 32 mm

04 Seat cushion + seat units

	CODE	DESCRIPTION
<input type="checkbox"/>	560	Seat cushion, Trevira CS 30 mm
<input type="checkbox"/>	948	Seat cushion, shaped, just in combination with back shell CODE 940 30 mm, Coverings are the same as the back cushion

Seaty seat units

<input type="checkbox"/>	4976	1066353*	Seaty seat padding, anatomically formed seat
<input type="checkbox"/>	4976	1066355**	Seaty Active seat shell, only in combination without seat and back cover CODE 4977 up to SB 300 mm
<input type="checkbox"/>	4976	1066354**	Seaty Active seat shell, only in combination without seat and back cover CODE 4977 from SW 300 mm

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Adapting the Seaty

Please specify only the Seaty dimensions. See the Seaty accompanying information.

The Seaty increases the seat height by 30 mm

* SW wheelchair = Seaty seat width + 30 mm

** SW wheelchair = Seaty seat width + 40 mm

The back height is measured up to the shoulder blade.

Seat width in mm: _____ Seat depth in mm: _____ Back height in mm: _____

Seaty cover fabrics and colours

Black Dark blue Light blue Incontinence material, black (only for seat cushions)

05 Rear seat height (RSH) combined with rear wheel (without seat cushion)

Please select your desired seat height by choosing a possible combination of seat height and wheel size.

Horizontal columns = seat heights in mm vertical rows = Ø rear wheel

	FRAME	360	370	380	390	400	410	420	430	440	450	460	470
Ø 22 x 1"	351	<input type="checkbox"/>	-	<input type="checkbox"/>	-	<input type="checkbox"/>	-	<input type="checkbox"/>	-	<input type="checkbox"/>	-	-	-
Ø 24 x 1"	352	-	-	-	<input type="checkbox"/>	-	<input type="checkbox"/>	-	<input type="checkbox"/>	-	<input type="checkbox"/>	-	<input type="checkbox"/>

Range of adjustment: 0°, 3° and 6°. If each are at a seat inclination of 3°, the RSH decreases by 10 mm with respect to FSH.

* Not in connection with the 125 mm castor. Please note the selection in category 03 seat height at front.

06 Horizontal rear wheel position (centre of gravity adjustment)

	ACTIVE	INTERMEDIATE	PASSIVE	
Position	1	2	3	4
Distance* in mm	70	55	40	25
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Measuring method: front edge of the rear tube up to the middle of the axle in mm

07 Rear wheels combined with the frame length

For this, select your hand rim in category 08.

Optionally, please select Xtrends rear wheels including hand rims and tyres instead of rear wheels CODE 651 or 752.

CODE	DESCRIPTION	Ø	Ø
<input type="checkbox"/> 651	Standard wheel including 8 bar high-pressure tyres and quick-release axle (pair)	22"	24"
<input type="checkbox"/> 752	Lightweight wheel including 8 bar high-pressure tyres and aluminium hand rim (pair), lightweight versus conventional wheels, saving 330 g per wheel, just in combination with high-pressure tyres CODE 496	22"	24"

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Xtrends rear wheels

	CODE	ARTICLE	DESCRIPTION	Ø
<input type="checkbox"/>	688	1068705	Six star including 8 bar high-pressure tyres and aluminium hand ring (pair)	24 x 1"
<input type="checkbox"/>	688	1068707	CROSS wheel including aluminium rim; rugged studded tyres and stainless steel hand rim (pair)	24 x 1.75"

We ship these trendy wheels in pairs. Different equipment for the Xtrends wheels available on request.

Wheel camber

	CODE	DESCRIPTION
<input type="checkbox"/>	423	0° wheel camber
<input type="checkbox"/>	447	3° wheel camber
<input type="checkbox"/>	454	6° wheel camber

08 Hand rims and hand rim options (cannot be combined with Xtrends wheels)

	CODE	DESCRIPTION	Ø	Ø
<input type="checkbox"/>	492	Maxgrepp Ergo Only in combination with narrow hand rim gap CODE 692. Not in connection with spoke guard	22"	24"
<input type="checkbox"/>	493	Stainless steel, highly polished	-	24"
<input type="checkbox"/>	494	aluminium	22"	24"
<input type="checkbox"/>	168	Optigrip special hand rims for tetraplegics	-	24"
<input type="checkbox"/>	166	Hand rim coating made of silicone, smooth, black	22"	24"
<input type="checkbox"/>	692	Narrow hand rim gap	22"	24"
<input type="checkbox"/>	693	Wide hand rim gap	22"	24"

Total width of hand rim gap; see enclosed information.

09 Tyres (cannot be combined with Xtrends wheels)

	CODE	DESCRIPTION	Ø	Ø
<input type="checkbox"/>	496	High-pressure tyres 8 bar	22 x 1"	24 x 1"
<input type="checkbox"/>	902	Puncture-resistant polyurethane tyres	22 x 1"	24 x 1"
<input type="checkbox"/>	897	Schwalbe Marathon Plus Evolution tyres, 10 bar, puncture protection	22 x 1"	24 x 1"

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

10 Brakes

CODE	DESCRIPTION
<input type="checkbox"/> 305	Pressure brake for driver
<input type="checkbox"/> 706	Drum brake for accompanying person, pressure brake for user, select CODE 305 separately. Aluminium hand rim CODE 494, high-pressure tyres 8 bar CODE 496, push handle CODE 502

Brakes accessories

<input type="checkbox"/> 681	Foldable, securely mounted brake lever extension
------------------------------	--

11 Back strap height (BH)

CODE	DESCRIPTION	HEIGHT
<input type="checkbox"/> 620	Rear strap	250 mm, adjustable by +/- 25 mm, only in conj. with push handle CODE 502
<input type="checkbox"/> 625	Rear strap	300 mm, adjustable by +/- 25 mm, only in conj. with push handle CODE 502
<input type="checkbox"/> 631	Rear strap	350 mm, adjustable by +/- 25 mm, only in conj. with push handle CODE 502
<input type="checkbox"/> 632	Rear strap	400 mm, adjustable by +/- 25 mm, only in conj. with push handle CODE 502

12 Back system and backrest

CODE	DESCRIPTION
<input type="checkbox"/> 735	Adjustable back with back cushion
<input type="checkbox"/> 940*	Removable back shell made of aluminium in frame colour
<input type="checkbox"/> 949*	Back cushion for back shell CODE 940
<input type="checkbox"/> 593	Without back cover
<input type="checkbox"/> 4977	Without seat and back cover, in combination with Seaty Active

* See the separate measurement sheet for further information

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Backrest options

<input type="checkbox"/>	410	Back with push handle
<input type="checkbox"/>	809	One-piece push bar, height-adjustable and removable. Not in combination with drum brake CODE 706
<input type="checkbox"/>	502	Push handle, mounted on the back tube, progressive height adjustment up to 300 mm
<input type="checkbox"/>	29	Back, +/- 15°, adjustable in 5° intervals. Including push handle CODE 502
<input type="checkbox"/>	913	Head rest, removable, adjustable height, angle and depth Only with height-adjustment push handles CODE 502

13 Side guards and armrests

Please note the marked functional features.

1 = securely screwed 2 = swing-up 3 = removable 4 = lockable 5 = armrest height adjustable 6 = with wheel cover

CODE	DESCRIPTION	1	2	3	4	5	6
<input type="checkbox"/>	100 Aluminium side guard in frame colour	●					●
<input type="checkbox"/>	748 Aluminium side guard in frame colour incl. height-adjustable armrest (screwed in place)	●				●	●

14 Leg rests and footrests

 flip-up
  height adjustable
  depth adjustable
  angle adjustable

CODE	DESCRIPTION	DEPTH	LSL
<input type="checkbox"/>	55/128 One-piece footrests, can be folded up to the side, adjustable height, depth and angle, for short lower leg lengths	200	200 - 290 for Midi Frame CODE 351 250 - 320 for Maxi frame CODE 352
<input type="checkbox"/>	55/762 One-piece footrests, can be folded up to the side, adjustable height, depth and angle for long lower leg lengths, only in combination with Maxi frame CODE 352	200	330 - 440

Required LSL in mm (measured without seat cushion)

Footrest accessories

<input type="checkbox"/>	359	Calf strap
<input type="checkbox"/>	664	Footrest locking mechanism
<input type="checkbox"/>	822	Shoe positioning straps (pair)
<input type="checkbox"/>	823	Heal ledge

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

15 Frame colours

CODE	DESCRIPTION
<input type="checkbox"/> 4923	Orange metallic
<input type="checkbox"/> 4922	Green metallic
<input type="checkbox"/> 4925	Silver chrome
<input type="checkbox"/> 4066	Tornado red
<input type="checkbox"/> 206	Matt black
<input type="checkbox"/> 180	Lemon reflective
<input type="checkbox"/> 224	Blue metallic

Further frame colours can be selected on request at no extra charge. See the colour chart in the catalogue introduction.

16 Seat and back strap colours

CODE	DESCRIPTION
<input type="checkbox"/> 235	Trevira black
<input type="checkbox"/> 292	Mesh, breathable, black

17 Wheelchair accessories Hand and spoke guard

CODE	DESCRIPTION
<input type="checkbox"/> 489	Transparent
<input type="checkbox"/> 4975	206155600 Blueprince special themes, see www.blueprince.de Not in combination with drum brake CODE 706 This product is not eligible for discount.
<input type="checkbox"/> 4974	Transparent with flash lettering

Enter the Blueprince model number here.
Select themes at www.blueprince.de

Step bar

<input type="checkbox"/> 309	1 item, not in combination with anti-tip wheels CODE 728
------------------------------	--

Anti-tip wheels

<input type="checkbox"/> 728	Anti-tip wheels, 1 pair, swing-away
<input type="checkbox"/> 729	1 anti-tip wheel, swing-away, mounted left
<input type="checkbox"/> 730	1 anti-tip wheel, swing-away, mounted right

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Therapy tables

929 Therapy table made of plastic, transparent, adjustable only in combination with side guard, CODE 748

Other accessories

679 Fold fixing

970 Crutch holder, in combination with pedal CODE 309

819 Passive lighting

205542100 Hand compressor

833 Safety belt with lock

Xtrends accessories

261519300 X-TREME backpack

261519600 "Black Wheel Case", fits max. 2 x 24" wheels and/or 1 x 25" or 26" wheel

206964600 3M spoke reflectors

Order remarks:


Date:

Signature:



03

Article 1072385



03

Article 1072386



04

Article 1066353




04

Article 1066354




07

CODE 651



07

CODE 752



07

Article 1068705



07

Article 1068707



12

CODE 940



13

CODE 100



13

CODE 748



14

CODE 55/128



14

CODE 55/762



17

CODE 4974

04 SEATY seat padding article 1066353 SEATY Active seat shell article 1066355

WHEELCHAIR DIMENSIONS		SEATY		WHEELCHAIR DIMENSIONS		SEATY	
Seat width*	Seat width	Seat depth	Seat width**	Seat width	Seat depth	Back height	
240	<input type="checkbox"/> 210	<input type="checkbox"/> 240	240	<input type="checkbox"/> 200	<input type="checkbox"/> 240	<input type="checkbox"/> 240	
260	<input type="checkbox"/> 230	<input type="checkbox"/> 260	260	<input type="checkbox"/> 220	<input type="checkbox"/> 260	<input type="checkbox"/> 260	
280	<input type="checkbox"/> 250	<input type="checkbox"/> 280	280	<input type="checkbox"/> 240	<input type="checkbox"/> 280	<input type="checkbox"/> 280	
300	<input type="checkbox"/> 270	<input type="checkbox"/> 300	300	<input type="checkbox"/> 260	<input type="checkbox"/> 300	<input type="checkbox"/> 300	
320	<input type="checkbox"/> 290	<input type="checkbox"/> 320			<input type="checkbox"/> 320	<input type="checkbox"/> 320	
340	<input type="checkbox"/> 310	<input type="checkbox"/> 340			<input type="checkbox"/> 340	<input type="checkbox"/> 340	
360	<input type="checkbox"/> 330	<input type="checkbox"/> 360			<input type="checkbox"/> 360	<input type="checkbox"/> 360	
380	<input type="checkbox"/> 350	<input type="checkbox"/> 380			<input type="checkbox"/> 380	<input type="checkbox"/> 380	
400	<input type="checkbox"/> 370	<input type="checkbox"/> 400			<input type="checkbox"/> 400	<input type="checkbox"/> 400	

SEATY Active seat shell article 1066354

WHEELCHAIR DIMENSIONS	SEATY		
Seat width**	Seat width	Seat depth	Back height
320	<input type="checkbox"/> 280	<input type="checkbox"/> 240	<input type="checkbox"/> 240
340	<input type="checkbox"/> 300	<input type="checkbox"/> 260	<input type="checkbox"/> 260
360	<input type="checkbox"/> 320	<input type="checkbox"/> 280	<input type="checkbox"/> 280
380	<input type="checkbox"/> 340	<input type="checkbox"/> 300	<input type="checkbox"/> 300
400	<input type="checkbox"/> 360	<input type="checkbox"/> 320	<input type="checkbox"/> 320
		<input type="checkbox"/> 340	<input type="checkbox"/> 340
		<input type="checkbox"/> 360	<input type="checkbox"/> 360
		<input type="checkbox"/> 380	<input type="checkbox"/> 380
		<input type="checkbox"/> 400	<input type="checkbox"/> 400

* SW wheelchair = Seaty seat width + 30 mm
 ** SW wheelchair = Seaty seat width + 40 mm

The seat height is increased by 30 mm with the anatomically formed seat cushion.

09 Overall width in mm with narrow hand rim gap

SEAT WIDTH IN MM	MIDI				MAXI				
	240	260	280	300	320	340	360	380	400
with 0° wheel camber (mm)	420	440	460	480	500	520	540	560	580
with 3° wheel camber (mm)	460	480	500	520	540	560	580	600	620
with 6° wheel camber (mm)	500	520	540	560	580	600	620	640	660

1. GENERAL – SCOPE

1.1. The following General Terms and Conditions of Delivery and Trade (GTC) for MEYRA GmbH shall apply to all contracts concluded with customers of the company. They shall also apply to all future transactions with the customer, even in the absence of a separate new agreement.

1.2. The customer shall accept that the General Terms and Conditions of MEYRA GmbH are binding on the present contract and also on all future contracts. Terms and conditions of the customer or third party shall not apply. MEYRA GmbH shall not be subject to such terms and conditions, even if they are not expressly excluded in individual cases.

1.3. These General Terms and Conditions shall only apply if the customer is an entrepreneur (s. 14 of the German Civil CODE), a legal entity under public law or a separate fund under public law.

2. OFFER, CONCLUSION OF CONTRACT

2.1. Offers from MEYRA GmbH are subject to confirmation and non-binding unless expressly designated as binding.

2.2. MEYRA GmbH may accept orders or commissions from the customer within 14 days of receipt with an offer confirmation in text form.

2.3. The contract shall be concluded by means of the offer confirmation in text form; this shall also apply to any changes or additions to the orders.

2.4. We retain our rights of ownership and copyright with respect to all documents delivered to the customer in association with placing of the order. These documents may not be disclosed to third parties without our express written consent. Should we not accept the customer's offer within the period stipulated in section 2.2, these documents are to be returned to us without delay.

3. PRICES

3.1. Prices are calculated exclusively in euros. All prices are net prices. Value added tax at the respective statutory rate is to be paid in addition.

3.2. Unless otherwise stated to the contrary in writing, our prices are ex works, excluding packing and shipping. The costs of packing and shipping shall be invoiced separately.

3.3. Insofar as list prices are used as a basis, the price list valid at the time the order is placed shall apply. Price changes shall be permitted if there is a gap of more than four months between conclusion of the contract and the agreed delivery date. Should salaries or material costs increase in the period up to completion, we shall be entitled to increase the price appropriately in accordance with the cost increases. The customer shall be entitled to withdraw from the contract only if the price increase significantly exceeds the increase in the general cost of living between the time of the order and of delivery.

3.4. In follow-up orders, MEYRA GmbH shall not be held to the prices in a previous contract.

3.5. Should the order value fall below a limit of € 150.00 net goods value, a minimum-order surcharge of € 9.50 including freight component shall be levied.

4. SHIPMENT, PASSING OF RISK

4.1. The place of delivery shall be the registered premises of MEYRA GmbH insofar as nothing has been expressly agreed to the contrary.

4.2. If the goods are shipped to the customer at this location, the risk of accidental loss or accidental deterioration of the goods shall transfer to the customer as soon as the goods (including partial deliveries) have been handed over to the charge of the third party responsible for shipping. This shall apply irrespective of whether the goods are shipped from the place of performance or who bears the freight costs.

4.3. Should claims for transport damage or losses be asserted against MEYRA GmbH, the customer must note the damage on the shipping documents or, in the event of losses, create a record without delay which is to be shown to us within one week.

4.4. Insurance against transport damage shall only be taken out at the express request and expense of the customer.

4.5. In the event of delayed handover or shipping for which the customer is responsible, the risk shall pass to the customer upon notification of the shipment's readiness for shipping.

4.6. Should there be no special instructions from the customer, the choice of transport route and means of transport shall be made by MEYRA GmbH without warranty and liability for the cheapest and fastest shipping method.

5. DATE OF DELIVERY / SCOPE OF DELIVERY

5.1. Proposed delivery periods shall be understood to be probable delivery dates, unless a particular date has been expressly established in writing.

5.2. If the parties have agreed a delivery period, this shall commence from the date of the order confirmation. The delivery period shall be deemed to have been observed if, prior to its expiration, the goods have left the plant or their readiness for shipping has been communicated.

5.3. Compliance with agreed delivery and performance dates requires the timely receipt of all documentation to be provided by the customer as well as the timely provision of all necessary information and the fulfilment of all other obligations by the customer. Should these conditions not be fulfilled in good time, the periods shall be extended appropriately.

5.4. MEYRA GmbH shall not be liable for delays in delivery due to force majeure or other events which, at the time the contract was concluded, were unforeseeable (e.g. strike, operational breakdown, delayed internal supply, transport delay, unfavourable weather, etc.) for which it is not responsible. The delivery period shall be extended for the duration of the obstacle to performance for which MEYRA GmbH is not responsible, plus a reasonable recovery period.

5.5. Should the resulting delay exceed a period of six weeks, both parties shall have the right to withdraw from the contract with regard to the scope of performance.

5.6. MEYRA GmbH shall be entitled to make partial deliveries provided that the partial delivery can be used by the customer within the scope of the contractual provision, the delivery of the remaining goods is guaranteed and the customer does not incur any additional costs as a result.

6. PAYMENT

6.1. Invoice amounts shall be paid in full within 30 days of receipt of the invoice into one of the bank accounts stipulated by us. However, where the invoice is not for the delivery of spare parts or repairs, the customer shall be entitled to a discount of 2% if payment is made within eight days of receipt of the invoice.

6.2. Cheques and bills shall only be accepted with express agreement. Acceptance is conditional on performance. Invoice corrections via cheques and bills are subject to payment. Values are taken on the day on which we finally have the proceeds at our disposal.

6.3. Should the customer fail to make the payment on the due date, any outstanding amounts shall be subject to interest at 8% above the respective base rate per annum. We reserve the right to enforce higher damages due to a delay in payment.

6.4. Should the customer default on payment, then all other receivables arising from the same legal

relationship shall immediately become payable without the need for a separate communication.

6.5. The customer shall only be entitled to offset in the event that its counterclaims have been legally established or are undisputed. The customer shall only be entitled to exercise a right of retention insofar as its counterclaim is based on the same contractual relationship.

6.6. MEYRA GmbH shall be entitled to assign its claims from deliveries and services.

7. RETENTION OF TITLE

7.1. The goods supplied by MEYRA GmbH shall remain the property of MEYRA GmbH until full payment of all present and future claims against the customer.

7.2. The customer may sell the reserved goods in the ordinary course of business. It is not entitled to make other disposals, in particular chattel mortgages and pledges. The claims of the customer arising from the resale of the reserved goods (including other receivables such as insurance claims or tort claims for loss or damage) shall be assigned to MEYRA GmbH by way of security. MEYRA GmbH shall accept the assignment. The customer shall be entitled to collect the assigned claim as long as it fulfils its payment obligations. In the event that it defaults on payment, we shall be entitled to revoke the collection authorisation.

7.3. Should the reserved goods be processed by the customer, it is hereby agreed that the processing shall take place in the name of and at the cost of MEYRA GmbH as the manufacturer and that it shall immediately acquire ownership or – if the processing is carried out using or in connection with materials from several owners or the value of the processed item is greater than the value of the delivered goods – co-ownership (fractional ownership) of the newly created item in the ratio of the value of the delivered goods to the value of the newly created item. Should MEYRA GmbH lose its ownership through consolidation or commingling or if, in the case of processing, it is not the owner of the delivered goods, the customer shall transfer to MEYRA GmbH in advance an appropriate co-ownership share in the new item equivalent to the proportionate value of the delivered item. MEYRA GmbH shall hereby accept the offer. The delivery shall be replaced by a gratuitous deposit.

7.4. The customer shall be obliged to notify us immediately of access by third parties to the goods delivered under retention of title and to provide us with the information and hand over the documentation required to enforce our rights. At the same time, the customer is to inform the third party without being asked of MEYRA GmbH's ownership. Any costs incurred from this shall be borne by the customer.

7.5. MEYRA GmbH shall be obliged to release the securities due to it at the request of the customer insofar as they exceed the value of the secured claims by more than 20%. The selection of the securities to be released is incumbent upon MEYRA GmbH.

7.6. In the event of a bankruptcy petition relating to the customer, we shall now prohibit the resale or processing of our reserved goods and shall revoke our collection authorisation with respect to the claims assigned to us.

7.7. In the event of delayed payment by the customer, we shall be entitled to demand the immediate return of the reserved goods.

8. WARRANTY / LIABILITY

8.1. The customer must inspect the delivered goods immediately upon delivery. Insofar as it relates to obvious defects or defects that would have been found during a thorough inspection, the customer

must notify us in writing of any complaints within one week of receipt of delivery. After expiry of this period, any liability for such defects is excluded. In the event of concealed defects, warranty claims shall only be valid if we are notified in writing within one week of discovery.

8.2. In cases of defective delivery, we shall have the right to choose to repair the defective item or to replace the defective item with a new delivery. The customer is obliged to provide us the defective product delivered free for inspection and repair. Should the repair or replacement delivery be unsuccessful, should they not be undertaken with a reasonable period or should we refuse to undertake them, the customer may withdraw from the contract or reduce the purchase price. A deadline shall not be required in those cases where it is not required by law.

8.3. The warranty shall be void if the customer modifies the delivery item without our consent or it is changed by a third party and it therefore becomes impossible or unreasonably difficult to rectify the defect. However, in each case, the customer must bear the additional costs resulting from the rectification of the defect.

8.4. The above regulations shall not affect any warranty that we assume on the part of the first user of the rehabilitation equipment.

8.5. Excluded from the warranty is the function-related wear of all items, modules, batteries and spare parts supplied by us as well as the inappropriate or improper storage, use or handling of the products.

8.6. Further claims by the customer, in particular for damages instead of performance and for reparation of any direct or indirect damage – including incidental or consequential damages, irrespective of the legal grounds – shall be excluded. This shall not be the case if MEYRA GmbH has concealed a legal or material defect maliciously or the damage is due to intent or gross negligence on the part of MEYRA GmbH, its legal representatives or vicarious agents or to any negligent breach of essential contractual obligations. Essential contractual obligations are understood to be those where their fulfilment enables the proper execution of the contract and on compliance with which the contracting parties regularly rely or may rely. In the case of damage to property and assets due to negligence, the liability of MEYRA GmbH shall however be restricted to an amount foreseeable in a typical contract. Furthermore, personal injury or damage to health caused by a breach of duty on the part of MEYRA GmbH, its legal representatives or vicarious agents are not excluded.

8.7. Liability under the *Produkthaftungsgesetz* [German Product Liability Act] is unaffected.

9. STATUTE OF LIMITATIONS

Claims by the customer relating to defects shall have a limitation period of two years from handover / delivery of the goods to the customer. With respect to replacement items and repairs, the limitation period shall be one year from handover / delivery of the goods to the customer. Excluded from this are claims for damages due to endangerment of life, personal injury or health and / or claims arising out of damages caused by gross negligence or intent on the part of MEYRA GmbH or its vicarious agents. In such instances, the statutory limitation periods shall apply.

9.1. REPLACEMENT PRODUCT SERVICE

Independent of the warranty, MEYRA GmbH offers customers the opportunity to exchange a defective product for a refurbished product. The following provisions shall apply to the products offered as replacements:

- Replacement products are refurbished and technically in order.
- The defective product must be returned free of charge to MEYRA GmbH within 15 working days.

The returned item shall become our property.

- Should the defective product not be returned, we shall invoice the customer for the replacement item at 95% of the sales price for a new product.

- The returned item must correspond to the replacement product in model and design. The product must also be reusable and may only show wear and tear commensurate with normal use.

- MEYRA GmbH shall determine whether the returned item fulfils the requirements specified above. Should these requirements not be fulfilled, we shall also issue the customer with an invoice for the amount specified above for the replacement product delivered less the residual value of the returned item.

10. PRODUCT SAFETY GUARANTEE

10.1. PRODUCT RECALL

If, due to defects in the goods delivered or to existing legal stipulations, it becomes necessary to have a product recalled, then the Client is obliged to cooperate in implementing such product recall in order to ensure that it can be conducted efficiently. In the event of a product recall, the Client is in particular obliged to inform MEYRA GmbH regarding the whereabouts of the delivery items in the delivery chain (from the Client to end consumer). To this end, the Client must continually document, using appropriate documentation methods, the progress of the goods and provide MEYRA GmbH with such documentation upon request. If the Client supplies the goods to resellers, then it must impose upon such resellers, via contractual provisions, the foregoing duties of cooperation intended to ensure the efficient implementation of a product recall.

10.2. The Client is obliged to have end customers instructed with regard to the handling and use of the delivered products and to have such instruction carried out by trained specialists. If the Client supplies the goods to resellers, then it must impose upon such resellers, via contractual provisions, the foregoing training obligations pertaining to the handling and use of the delivered goods.

11. LIABILITY FOR DESIGN CHANGES

It is important to note that more stringent legal provisions shall apply in the case of custom orders. Design changes to MEYRA GmbH products by the customer or a third party contracted by the customer shall only be permitted if they are in line with the safety requirements and our management has declared its consent in writing in advance. To this end, if requested, a modified model and design drawings are to be made available to us. Should design changes be undertaken without the prior written consent of our management and damage due to the changes is caused to a third party for which we are liable in the external relationship, the customer shall be required to release us in the internal relationship from claims by the third party.

12A. RETURN OF FINISHED PRODUCTS AND MODULES

Goods returned without an accompanying delivery note or invoice copy shall not be accepted. Credit equivalent to 80 % of the net value of the goods shall be granted for goods returned in their original packaging and in mint condition. Excluded from return are items delivered more than three months ago, custom orders, sanitary items, filled batteries and products with a net value of less than € 100.00. Also excluded are custom-made wheelchairs (e.g.: wheelchairs for children or adaptive wheelchairs). The transport risk shall be borne by the sender. Any cleaning and/or disinfection costs incurred in

connection with approved returns will be charged at a flat rate of at least EUR 79 net.

12B. ORDER CANCELLATIONS FOR FINISHED PRODUCTS

12B.1. Order cancellations without the prior agreement of MEYRA GmbH shall not be permitted.

12B.2. Cancellations shall be made in writing.

12B.3. Should an agreement be reached regarding the cancellation of finished products which are ready for delivery, the following shall apply:

- Rehabilitation products shall be credited in full.

In principle, orders for custom wheelchairs and sports wheelchairs cannot be cancelled.

- In the event of the cancellation of an order for adaptive wheelchairs, 20% of the net value shall be retained to cover costs.

The cancellation fee for electric wheelchairs and scooters is 5%. The cancellation fee for standard and lightweight wheelchairs is 10%.

12C. COLLECTION / DISPOSAL

Our prices do not include the costs for collection and disposal of complete old equipment from users other than private households. On request, and against reimbursement of the costs incurred, we are able to organise the collection and recycling / disposal of such equipment, provided it was purchased from us. Returns without the prior agreement of MEYRA GmbH are not possible.

13. USE OF PERSONAL DATA

We shall be entitled to save and process internally any personal data of the customer falling within the scope of the statutory provisions, in particular the General Data Protection regulation.

14. JURISDICTION, APPLICABLE LAW, SEVERABILITY CLAUSE

14.1. Unless expressly agreed to the contrary, the place of performance shall be the premises of MEYRA GmbH in Kalletal-Kalldorf.

14.2. The jurisdiction for all disputes arising out of the contractual relationship shall be determined by our headquarters in Kalletal-Kalldorf. We shall also be entitled to take action against the customer within its jurisdiction.

14.3. The law of the Federal Republic of Germany shall apply excluding the UN Convention on Contracts for the International Sale of Goods.

14.4. Should individual provisions of these General Terms and Conditions be wholly or partially void or ineffective, the validity of the remaining provisions shall remain unaffected.